

Client:**Işık Madencilik San ve Tic Ltd. Şti****Attn to:** Tiber Cengiz Serger

Baksan San. Böl. 73/8

Eskişehir

Report No. 27138655 001**Buyer** /

Test item: TALK D – TALK 93 SUPER EXTRA

Article No: /

Condition at delivery: Samples tested as received

Date of delivery: 04.08.2017 (Samples received HK Lab 10.08.2017)

Test period: 14.08.2017 to 22.08.2017

Test scope: Parameters selected by customer

Test specification: Risk Assessment of Substance/Mixture:
Screening of substances of very high concern (SVHC) subject to authorisation, according to (EU) No 143/2011, (EU) No 125/2012, (EU) No 348/2013 and (EU) No 895/2014 and (EU) No. 2017/999 (Annex XIV of EC No 1907/2006) and candidate list by European Chemical Agency (ECHA), according to the EU Court of Justice rules on SVHCs in articles (Guidance o requirements for substances in articles, June 2017)

Test result: See Results

For and on behalf of**TÜV Rheinland Uluslararası Standartlar Sertifikasyon ve Denetim A.Ş**

Tomris Hasancebi / Customer Relations Manager



Duygu Ozturk /Chemical Laboratory Manager

TÜV Rheinland Uluslararası Standartlar Sertifikasyon ve Denetim A.Ş.

Kozyatagi Mah. Saniye Ermutlu Sok. No:12

Colakoglu Plaza B Blok 34742 Kadikoy Istanbul,

Tel. +902166653200, Fax +902166653299, e-mail: info@tr.tuv.com

*The results given in this report belong to the received sample by vendor.**This test report shall not be reproduced other than in full except with the permission of the laboratory. Testing reports without signature and seal are not valid.**The test and/or measurement results, the uncertainties (if applicable) with confidence probability and test methods are given on the following, pages which are part of this report.**All test results in this test report were subcontracted to TUV Rheinland Hong Kong Ltd.*

Report No: 27138655 001

Page 2 of 13

Date: 22.08.2017

1. Photo



2. List of Materials

| Mat.No. | Material | Colour | Location |
|---------|----------|--------|---------------------|
| M001 | Powder | White | Talk-93 Super Extra |
| M002 | Powder | Grey | Talk-D |

3. Product Classification

With reference to Corrigendum to Regulation (EC) no. 1907/2006 and ECHA, this product is classified as:

- Article
 Article with an integral substance/ mixture
 Combinations of an article (functioning as a container or a carrier material) and a substance/ mixture
 Substance/ mixture

Conclusion:

| Conclusion | | | |
|-------------------------|--|---|------------------------------------|
| Product Location | Acc. to authorisation list (EU) No 143/2011, (EU) No 125/2012, (EU) No 348/2013 and (EU) No 895/2014 (Annex XIV of EC No 1907/2006) and candidate list by ECHA, and the EU Court of Justice rules on SVHCs in articles, the detected SVHC concentration in components level is | Obligation of Importer (*) (For article) | Detected Substance (if any) |
| All tested articles | <0.1% | Not necessary | -- |

(For article)

(*) To communicate information down the supply chain according to article. 33 of REACH. **OR**

- Notification to ECHA, if the quantities of SVHC in the produced/imported articles are above 1 ton in total per year per company.
- Provide sufficient information to ensure safe use of the article and, as minimum, include the name of the substance, to their customers and on request to consumers within 45 days of the receipt of this request.

4. Results

| Test No | T001 | T002 |
|-----------------------|------|------|
| Mat. No. | M001 | M002 |
| Unit | % | % |
| SVHC Screening | | |
| Result | n.d. | n.d. |

n.d.: Not detected (<Reporting limit)

RL: Reporting limit

?: Percentage

(*1) The reporting limit for each individual SVHC subject to authorisation according to (EU) no. 143/2011, (EU) no. 125/2012 and (EU) no. 348/2013 (Annex XIV of EC no. 1907/2006)

| Material No. | Substance | CAS No. | Reporting Limit |
|--------------|--|--------------------------|-----------------|
| 1 | 4,4'- Diaminodiphenylmethane (MDA) | 101-77-9 | 0.01% |
| 2 | Benzyl butyl phthalate (BBP) | 85-68-7 | 0.01% |
| 3 | Bis (2-ethylhexyl)phthalate (DEHP) | 117-81-7 | 0.01% |
| 4 | Dibutyl phthalate (DBP) | 84-74-2 | 0.01% |
| 5 | Hexabromocyclododecane (HBCDD) and all major diastereoisomers identified: | 25637-99-4, 3194-55-6 | 0.01% |
| | Alpha-hexabromocyclododecane | (134237-50-6) | 0.01% |
| | Beta-hexabromocyclododecane | (134237-51-7) | 0.01% |
| | Gamma-hexabromocyclododecane | (134237-52-8) | 0.01% |
| 6 | 5-tert-butyl-2,4,6-trinitro-m-xylene (musk xylene) | 81-15-2 | 0.01% |
| 7 | 2,4-Dinitrotoluene (2,4- DNT) | 121-14-2 | 0.01% |
| 8 | Diisobutyl phthalate (DIBP) | 84-69-5 | 0.01% |
| 9 | Tris(2-chloroethyl)phosphate | 115-96-8 | 0.01% |
| 10 | Diarsenic pentaoxide (*3) | 1303-28-2 | 0.01% |
| 11 | Diarsenic trioxide (*3) | 1327-53-3 | 0.01% |
| 12 | Lead chromate (*3)(*4) | 7758-97-6 | 0.01% |
| 13 | Lead chromate molybdate sulphate red (C.I. Pigment Red 104) (*3)(*4) | 12656-85-8 | 0.01% |
| 14 | Lead sulfochromate yellow (C.I. Pigment Yellow 34) (*3) | 1344-37-2 | 0.01% |
| 15 | Trichloroethylene | 79-01-6 | 0.01% |
| 16 | Chromium trioxide (*4) | 1333-82-0 | 0.01% |
| 17 | Acids generated from chromium trioxide and their oligomers. Names of the acids and their oligomers: Chromic acid, Dichromic acid, Oligomers of chromic acid and dichromic acid. (*4) | 7738-94-5, 13530-68-2 | 0.01% |
| 18 | Sodium dichromate, dihydrate (*3) | 7789-12-0, 10588-01-9 | 0.01% |
| 19 | Potassium dichromate (*4) | 7778-50-9 | 0.01% |
| 20 | Ammonium dichromate (*4) | 7789-09-5 | 0.01% |
| 21 | Potassium chromate (*4) | 7789-00-6 | 0.01% |

Date: 22.08.2017

| | | | |
|----|---|------------|-------|
| 22 | Sodium chromate (*4) | 7775-11-3 | 0.01% |
| 23 | Formaldehyde, oligomeric reaction products with aniline (technical MDA) (*11) | 25214-70-4 | 0.01% |
| 24 | 1,2-dichloroethane | 107-06-2 | 0.01% |
| 25 | Bis(2-methoxyethyl) ether | 111-96-6 | 0.01% |
| 26 | Arsenic acid (*3) | 7778-39-4 | 0.01% |
| 27 | 2,2'-dichloro-4,4'-methylenedianiline (MOCA) | 101-14-4 | 0.01% |
| 28 | Dichromium tris(chromate) (*4) | 24613-89-6 | 0.01% |
| 29 | Strontium chromate (*4) | 2151068 | 0.01% |
| 30 | Potassium hydroxyoctaoxodizincatedichromate (*4) | 11103-86-9 | 0.01% |
| 31 | Pentazinc chromate octahydroxide (*4) | 49663-84-5 | 0.01% |
| 32 | Anthracene | 120-12-7 | 0.01% |

(*2) The reporting limit for each individual SVHC in Candidate List by ECHA:

Substance

| | | | |
|----|--|--|------------|
| 33 | Bis(tributyltin)oxide (TBTO) (3*)(*5) | 56-35-9 | 0.01% |
| 34 | Triethyl arsenate (*3) | 15606-95-8 | 0.01% |
| 35 | Lead hydrogen arsenate (*3) | 7784-40-9 | 0.01% |
| 36 | Cobalt (II) dichloride (*3) | 7646-79-9 | 0.01% |
| 37 | Acrylamide | 79-06-1 | 0.01% |
| 38 | Anthracene oil (*7) | 90640-80-5 | 0.01% |
| 39 | Anthracene oil, anthracene paste, distn. Lights (*7) | 91995-17-4 | 0.01% (*8) |
| 40 | Anthracene oil, anthracene paste, anthracene fraction (*7) | 91995-15-2 | |
| 41 | Anthracene oil, anthracene-low (*7) | 90640-82-7 | |
| 42 | Anthracene oil, anthracene paste (*7) | 90640-81-6 | |
| 43 | Pitch, coal tar, high temp. (*7) | 65996-93-2 | |
| 44 | Boric acid (*3) | 10043-35-3, 11113-50-1 | 0.01% |
| 45 | Disodium tetraborate, anhydrous (*3)(*6) | 1303-96-4, 1330-43-4, 12179-04-3 | 0.01% |
| 46 | Tetraboron disodium heptaoxide, hydrate (*3)(*6) | 12267-73-1 | 0.01% |
| 47 | 2-Methoxyethanol | 109-86-4 | 0.01% |

Date: 22.08.2017

| | | | |
|----|---|------------------------|-------|
| 48 | 2-Ethoxyethanol | 110-80-5 | 0.01% |
| 49 | Cobalt(II) sulphate (*3) | 10124-43-3 | 0.01% |
| 50 | Cobalt(II) dinitrate (*3) | 10141-05-6 | 0.01% |
| 51 | Cobalt(II) carbonate (*3) | 513-79-1 | 0.01% |
| 52 | Cobalt(II) diacetate (*3) | 71-48-7 | 0.01% |
| 53 | Alkanes, C10-13, chloro (Short Chain Chlorinated Paraffins) | 85535-84-8 | 0.01% |
| 54 | 2-Ethoxyethyl acetate | 111-15-9 | 0.01% |
| 55 | 1,2-Benzenedicarboxylic acid, di-C7-11-branched and linear alkyl esters (DHNUP) | 68515-42-4 | 0.01% |
| 56 | Hydrazine | 302-01-2, 7803-57-8 | 0.01% |
| 57 | 1-Methyl-2-pyrrolidone | 872-50-4 | 0.01% |
| 58 | 1,2,3-Trichloropropane | 96-18-4 | 0.01% |
| 59 | 1,2-Benzenedicarboxylic acid, di-C6-8-branched alkyl esters, C7-rich (DIHP) | 71888-89-6 | 0.01% |
| 60 | Aluminosilicate Refractory Ceramic Fibres (*9) | - | 0.01% |
| 61 | Zirconia Aluminosilicate Refractory Ceramic Fibres (*9) | - | 0.01% |
| 62 | Bis(2-methoxyethyl) phthalate | 117-82-8 | 0.01% |
| 63 | 2-Methoxyaniline; o-Anisidine | 90-04-0 | 0.01% |
| 64 | 4-(1,1,3,3-tetramethylbutyl)phenol | 140-66-9 | 0.01% |
| 65 | Calcium arsenate (*3) | 7778-44-1 | 0.01% |
| 66 | Trilead diarsenate (*3) | 3687-31-8 | 0.01% |
| 67 | N,N-dimethylacetamide (DMAC) | 127-19-5 | 0.01% |
| 68 | Phenolphthalein | 77-09-8 | 0.01% |
| 69 | Lead dipicrate (*3) | 6477-64-1 | 0.01% |
| 70 | Lead diazide, Lead azide (*3) | 13424-46-9 | 0.01% |
| 71 | Lead styphnate (*3) | 15245-44-0 | 0.01% |
| 72 | 1,2-bis(2-methoxyethoxy)ethane (TEGDME; triglyme) | 112-49-2 | 0.01% |
| 73 | 1,2-dimethoxyethane; ethylene glycol dimethyl ether (EGDME) | 110-71-4 | 0.01% |
| 74 | Diboron trioxide | 1303-86-2 | 0.01% |
| 75 | Formamide | 75-12-7 | 0.01% |
| 76 | Lead(II) bis(methanesulfonate) (*3) | 17570-76-2 | 0.01% |

Date: 22.08.2017

| | | | |
|----|--|---|-------|
| 77 | 1,3,5-Tris(oxiran-2-ylmethyl)-1,3,5-triazinane-2,4,6-trione (TGIC) | 2451-62-9 | 0.01% |
| 78 | 1,3,5-tris[(2S and 2R)-2,3-epoxypropyl]-1,3,5-triazine-2,4,6-(1H,3H,5H)-trione (TGIC) | 59653-74-6 | |
| 79 | 4,4'-bis(dimethylamino)benzophenone (Michler's ketone) | 90-94-8 | 0.01% |
| 80 | N,N,N',N'-tetramethyl-4,4'-methylenedianiline (Michler's base), RMK | 101-61-1 | 0.01% |
| 81 | [4-[[4-anilino-1-naphthyl][4-(dimethylamino)phenyl]methylene]cyclohexa-2,5-dien-1-ylidene] dimethylammonium chloride (C.I. Basic Blue 26) [with ≥ 0.1% of Michler's ketone (EC No. 202-027-5) or Michler's base (EC No. 202-959-2)] (*10) | 2580-56-5 | 0.01% |
| 82 | [4-[4,4'-bis(dimethylamino) benzhydrylidene]cyclohexa-2,5-dien-1-ylidene]dimethylammonium chloride (C.I. Basic Violet 3) [with ≥ 0.1% of Michler's ketone (EC No. 202-027-5) or Michler's base (EC No. 202-959-2)](*10) | 548-62-9 | 0.01% |
| 83 | 4,4'-bis(dimethylamino)-4''-(methylamino)trityl alcohol [with ≥ 0.1% of Michler's ketone (EC No. 202-027-5) or Michler's base (EC No. 202-959-2)] (*10) | 561-41-1 | 0.01% |
| 84 | α,α-Bis[4-(dimethylamino)phenyl]-4(phenylamino)naphthalene-1-methanol (C.I. Solvent Blue 4) [with ≥ 0.1% of Michler's ketone (EC No. 202-027-5) or Michler's base (EC No. 202-959-2)] (*10) | 6786-83-0 | 0.01% |
| 85 | Bis(pentabromophenyl) ether (decabromodiphenyl ether; DecaBDE) | 1163-19-5 | 0.01% |
| 86 | Pentacosafuorotridecanoic acid | 72629-94-8 | 0.01% |
| 87 | Tricosafuorododecanoic acid | 307-55-1 | 0.01% |
| 88 | Henicosafuoroundecanoic acid | 2058-94-8 | 0.01% |
| 89 | Heptacosafuorotetradecanoic acid | 376-06-7 | 0.01% |
| 90 | 4-(1,1,3,3-tetramethylbutyl)phenol, ethoxylated (OPEO) | - | 0.01% |
| 91 | Diazene-1,2-dicarboxamide (C,C'-azodi(formamide)) (*12) | 123-77-3 | 0.05% |
| 92 | 4-Nonylphenol, branched and linear [substances with a linear and/or branched alkyl chain with a carbon number of 9 covalently bound in position 4 to phenol, covering also UVCB- and well-defined substances which include any of the individual isomers or a combination thereof] | - | 0.01% |
| 93 | Cyclohexane-1,2-dicarboxylic anhydride [1], | 85-42-7 | 0.01% |
| | cis-cyclohexane-1,2-dicarboxylic anhydride [2], | 13149-00-3 | 0.01% |
| | trans-cyclohexane-1,2-dicarboxylic anhydride [3] | 14166-21-3 | 0.01% |
| 94 | Hexahydromethylphthalic anhydride (MHHPA) [1], Hexahydro-4-methylphthalic anhydride [2], Hexahydro-1-methylphthalic anhydride [3], Hexahydro-3-methylphthalic anhydride [4] | 25550-51-0, 19438-60-9, 48122-14-1, 57110-29-9 | 0.01% |
| | [The individual isomers [2], [3] and [4] (including their cis- and trans- stereo isomeric forms) and all possible combinations of the isomers [1] are covered by this entry] | | 0.01% |

Date: 22.08.2017

| | | | |
|-----|--|-------------|-------|
| 95 | 1,2-Benzenedicarboxylic acid, dipentylester, branched and linear | 84777-06-0 | 0.01% |
| 96 | Diisopentylphthalate | 605-50-5 | 0.01% |
| 97 | N-pentyl-isopentylphthalate | 776297-69-9 | 0.01% |
| 98 | N,N-dimethylformamide | 68-12-2 | 0.01% |
| 99 | Methoxyacetic acid (MAA) | 625-45-6 | 0.01% |
| 100 | 1,2-Diethoxyethane | 629-14-1 | 0.01% |
| 101 | Diethyl sulphate | 64-67-5 | 0.01% |
| 102 | Dimethyl sulphate | 77-78-1 | 0.01% |
| 103 | N-methylacetamide | 79-16-3 | 0.01% |
| 104 | 1-bromopropane (n-propyl bromide) | 106-94-5 | 0.01% |
| 105 | Furan | 110-00-9 | 0.01% |
| 106 | Methyloxirane (Propylene oxide) | 75-56-9 | 0.01% |
| 107 | 3-ethyl-2-methyl-2-(3-methylbutyl)-1,3-oxazolidine | 143860-04-2 | 0.01% |
| 108 | Dibutyltin dichloride (DBT) (*3) | 683-18-1 | 0.01% |
| 109 | Dinoseb (6-sec-butyl-2,4-dinitrophenol) | 88-85-7 | 0.01% |
| 110 | 4,4'-methylenedi-o-toluidine | 838-88-0 | 0.01% |
| 111 | 4,4'-oxydianiline and its salts | 101-80-4 | 0.01% |
| 112 | 4-Aminoazobenzene | 60-09-3 | 0.01% |
| 113 | 4-methyl-m-phenylenediamine (2,4-toluene-diamine) | 95-80-7 | 0.01% |
| 114 | 6-methoxy-m-toluidine (p-cresidine) | 120-71-8 | 0.01% |
| 115 | Biphenyl-4-ylamine | 92-67-1 | 0.01% |
| 116 | o-aminoazotoluene | 97-56-3 | 0.01% |
| 117 | o-Toluidine | 95-53-4 | 0.01% |
| 118 | Acetic acid, lead salt, basic (*3) | 51404-69-4 | 0.01% |
| 119 | Trilead bis(carbonate)dihydroxide (*3) | 1319-46-6 | 0.01% |
| 120 | Lead oxide sulfate (*3) | 12036-76-9 | 0.01% |
| 121 | [Phthalato(2-)]dioxotrilead (*3) | 69011-06-9 | 0.01% |
| 122 | Dioxobis(stearato)trilead (*3) | 12578-12-0 | 0.01% |
| 123 | Fatty acids, C16-18, lead salts (*3) | 91031-62-8 | 0.01% |

Date: 22.08.2017

| | | | |
|-----|--|------------|-------|
| 124 | Lead bis(tetrafluoroborate) (*3) | 13814-96-5 | 0.01% |
| 125 | Lead cyanamidate (*3) | 20837-86-9 | 0.01% |
| 126 | Lead dinitrate (*3) | 10099-74-8 | 0.01% |
| 127 | Lead monoxide (lead oxide) (*3) | 1317-36-8 | 0.01% |
| 128 | Orange lead (lead tetroxide) (*3) | 1314-41-6 | 0.01% |
| 129 | Lead titanium trioxide (*3) | 12060-00-3 | 0.01% |
| 130 | Lead titanium Zirconium oxide (*3) | 12626-81-2 | 0.01% |
| 131 | Pyrochlore, antimony lead yellow (*3) | 8012-00-8 | 0.01% |
| 132 | Pentalead tetraoxide sulphate (*3) | 12065-90-6 | 0.01% |
| 133 | Silicic acid (H ₂ Si ₂ O ₅), barium salt (1:1), lead-doped (*3) [with lead (Pb) content above the applicable generic concentration limit for toxicity for reproduction Repr. 1A (CLP) or category 1 (DSD); the substance is a member of the group entry of lead compounds, with index number 082-001-00-6 in Regulation (EC) No 1272/2008] | 68784-75-8 | 0.01% |
| 134 | Silicic acid, lead salt (*3) | 11120-22-2 | 0.01% |
| 135 | Sulfurous acid, lead salt, dibasic (*3) | 62229-08-7 | 0.01% |
| 136 | Tetraethyllead (*3) | 78-00-2 | 0.01% |
| 137 | Tetralead trioxide sulphate (*3) | 12202-17-4 | 0.01% |
| 138 | Trilead dioxide phosphonate (*3) | 12141-20-7 | 0.01% |
| 139 | Dipentyl phthalate (DPP) | 131-18-0 | 0.01% |
| 140 | Ammonium pentadecafluorooctanoate (APFO) (*13) | 3825-26-1 | 0.01% |
| 141 | Pentadecafluorooctanoic acid (PFOA) | 335-67-1 | 0.01% |
| 142 | Cadmium | 7440-43-9 | 0.01% |
| 143 | Cadmium oxide (*3) | 1306-19-0 | 0.01% |
| 144 | 4-Nonylphenol, branched and linear, ethoxylated (NPEO) | - | 0.01% |
| | [substances with a linear and/or branched alkyl chain with a carbon number of 9 covalently bound in position 4 to phenol, ethoxylated covering UVCB- and well-defined substances, polymers and homologues, which include any of the individual isomers and/or combinations thereof] | - | 0.01% |
| 145 | Dihexyl phthalate | 84-75-3 | 0.01% |
| 146 | Trixylyl phosphate | 25155-23-1 | 0.01% |
| 147 | Imidazolidine-2-thione; 2-imidazoline-2thiol (Ethylenethiourea) | 96-45-7 | 0.01% |

Date: 22.08.2017

| | | | |
|-----|---|--------------------------|-------|
| 148 | Disodium 3,3'[[1,1 biphenyl]4,4 diylbis(azo)]bis(4-aminonaphthalene-1-sulphonate)(C.I.Direct Red 28) | 573-58-0 | 0.01% |
| 149 | Disodium 4-amino-3-[[4-[(2,4-diaminophenyl)azo][1,1-biphenyl]-4-yl]azo]-5hydroxy-6-(phenylazo)naphthalene-2,7-disulphonate (C.I. Direct Black 38) | 1937-37-7 | 0.01% |
| 150 | Lead di(acetate) (*3) | 301-04-2 | 0.01% |
| 151 | Cadmium Sulphide (*3) | 1306-23-6 | 0.01% |
| 152 | 1,2-Benzenedicarboxylic acid, 1,2-dihexyl ester, branched and linear | 68515-50-4 | 0.01% |
| 153 | Cadmium chloride (*3) | 10108-64-2 | 0.01% |
| 154 | Sodium perborate; perboric, sodium salt (*3) | --- | 0.01% |
| 155 | Sodium peroxometaborate (*3) | 7632-04-4 | 0.01% |
| 156 | Cadmium fluoride (*3) | 7790-79-6 | 0.01% |
| 157 | Cadmium sulphate (*3) | 1012436-4; 31119-53-6 | 0.01% |
| 158 | 2-benzotriazol-2-yl-4,6-di-tert-butylphenol (UV-320) | 3846-71-7 | 0.01% |
| 159 | 2-(2H-benzotriazol-2-yl)-4,6-ditertpentylphenol (UV-328) | 25973-55-1 | 0.01% |
| 160 | 2-ethylhexyl 10-ethyl-4,4-dioctyl-7-oxo-8-oxa-3,5-dithia-4-stannatetradecanoate (DOTE) (*14) | 15571-58-1 | 0.01% |
| 161 | Reaction mass of 2-ethylhexyl 10-ethy-4,4-dioctyl-7-oxo-8-oxa-3,5-dithia-4-stannatetradecanoate and 2-ethylhexyl 10-ethyl-4-[[2-[(2-ethylhexyl)oxy]-2-oxoethyl]thio]-4-octyl-7oxo-8-oxa-3,5-dithia-4-stannatetradecanoate (reaction mass of DOTE and MOTE)(*15) | --- | 0.01% |

| | | | |
|-----|---|----------------------------|-------|
| 162 | 1,2-benzenedicarboxylic acid, di-C6-10-alkyl esters; 1,2-benzenedicarboxylic acid, mixed decyl and hexyl and octyl diesters with ≥ 0.3% of dihexyl phthalate (EC No. 201-559-5) | 68515-51-5 / 68648-93-1 | 0.01% |
| 163 | 5-sec-butyl-2-(2,4-dimethylcyclohex-3-en-1-yl)-5-methyl-1,3-dioxane [1], 5-sec-butyl-2-(4,6-dimethylcyclohex-3-en-1-yl)-5-methyl-1,3-dioxane [2] [covering any of the individual stereoisomers of [1] and [2] or any combination thereof] | - | 0.01% |
| 164 | 1,3-propanesultone | 1120-71-4 | 0.01% |
| 165 | 2,4-di-tert-butyl-6-(5-chlorobenzotriazol-2-yl)phenol (UV-327) | 3864-99-1 | 0.01% |
| 166 | 2-(2H-benzotriazol-2-yl)-4-(ter-butyl)-6-(sec-butyl)phenol (UV-350) | 36437-37-3 | 0.01% |
| 167 | Nitrobenzene | 98-95-3 | 0.01% |

Date: 22.08.2017

| | | | |
|-----|---|-------------------------------------|-------|
| 168 | Perfluorononan-1-oic-acid and its sodium and ammonium saltspropanesultone | 375-95-1 21049-39-8 4149-60-4 | 0.01% |
| 169 | Benzo[def]chrysene (Benzo[a]pyrene) | 50-32-8 | 0.01% |
| 170 | 4,4'-isopropylidenediphenol (bisphenol A) | 80-05-7 | 0.01% |
| 171 | Nonadecafluorodecanoic acid (PFDA) and its sodium and ammonium salts | 335-76-2 3830-45-3 3108-42-7 | 0.01% |
| 172 | 4-heptylphenol, branched and linear [substances with a linear and/or branched alkyl chain with a carbon number of 7 covalently bound predominantly in position 4 to phenol, covering also UVCB- and well-defined substances which include any of the individual isomers or a combination thereof] | - | 0.01% |
| 173 | <i>p</i> -(1,1-dimethylpropyl)phenol | 80-46-6 | 0.01% |
| 174 | Perfluorohexane-1-sulfonic acid and its salts (PFHxS) | - | 0.01% |

Remarks:

- (*3) The substances are tested in terms of its respective elements (e.g. As, Pb, Co, B, Cd, Sn)
- (*4) The substances are tested in terms of Cr(VI)
- (*5) The substance is tested and calculated in terms of Tributyl tin.
- (*6) The substances are confirmed and tested in terms of Boric Acid when Boron is detected in the sample.
- (*7) The substances are UVCB (substance of unknown or variable composition, complex reaction products or biological materials), which are identified by its main constituents.
- (*8) Individual concentrations to the constituent of UVCB with an amount of <0.01% were not considered by the calculation of the sum.
- (*9) The test result is based on microscopic and chemical evaluation.
- (*10) The substance is quantified in terms of Michler's Ketone and Michler's Base by LC-MS, as Michler's Ketone or Michler's Base was found exceeds 0.01%
- (*11) The oligomer content is determined by Py-GC/MS.
- (*12) The content of diazene-1,2-dicarboxamide is analysed in term of its breakdown product.
- (*13) The substance is tested in terms of pentadecafluorooctanoate.
- (*14) The substance is tested and calculated in term of Dioctyl tin.
- (*15) The substance is tested and calculated in term of Monoctyl tin and Dioctyl tin.
- (*16) The tested material(s) was screened only for selected SVHCs. Selection of tests refers to the material type and application and the possibility of contamination during production & material specific contamination of the product

5. Summary of methods

Screening of substances of very high concern (SVHC) subject to authorization, according to (EU) No 143/2011, (EU) No 125/2012, (EU) No 348/2013 and (EU) No 895/2014 (Annex XIV of EC No 1907/2006) and candidate list by European Chemical Agency (ECHA), according to the EU Court of Justice rules on SVHCs in articles.

Method description:

- 1) Test portion is digested with acid and assisted with microwave, the elements are analyzed by ICP-OES.
- 2) Test portion is extracted by organic solvent, semi quantitative analysis by GC-MS / UV-Vis.
- 3) Test portion is extracted by organic solvent, the extraction solution is analysed by Headspace-GC-MS/ LC-DAD-MS/ LC-MS/MS